PATENT ABSTRACTS OF JAPAN

(11)Publication number:

05-210679

(43) Date of publication of application: 20.08.1993

(51)Int.CI.

G06F 15/20

G06F 15/20

(21)Application number: 03-072426

(71)Applicant: TOSHIBA CORP

TOSHIBA COMPUT ENG CORP

(22)Date of filing:

12.03.1991

(72)Inventor: TODA ATSUKO


OKUI ICHIRO

(54) WORD PROCESSOR

(57)Abstract:

PURPOSE: To retrieve only a character or a character string subjected to specific character modification to change contents of the character modification to those of another.

CONSTITUTION: Character data subjected to character modification is set as a search expression, and the character code of the search expression and a control code indicating the character modification are stored in a search expression buffer 7a as a pair. Character data subjected to character modification is set as a substitute expression, and the character code of the substitute expression and a control code indicating the character modification are stored in a substitute expression buffer 7b. Code retrieval of document data in a document buffer 6 is performed based on the character code of the search expression and the control code indicating the character modification to retrieve only character data subjected to specific character modification, and the character code in retrieved document data and its control code are converted to the character code of the substitute expression and the control code indicating the character modification.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

* NOTICES *

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] In the document preparation equipment which has the phrase search function which searches and edits the specific alphabetic character of the arbitration which exists in document data A document data storage means to make each character code and its control code into a pair, and to memorize the abovementioned document data, A search phrase input means to input the above-mentioned specific alphabetic character to carry out retrieval, and a search word code storage means to memorize the code data of a specific alphabetic character inputted by this search phrase input means, A permutation phrase input means to input an alphabetic character to replace to the above-mentioned specific alphabetic character to carry out retrieval, A permutation word code storage means to memorize the code data of an alphabetic character inputted by this permutation phrase input means, A character decoration assignment means to specify the character decoration of arbitration to the alphabetic data inputted by the above-mentioned search phrase input means or the permutation phrase input means, A qualification code addition means to make the above-mentioned search word code storage means or a permutation word code storage means carry out the addition storage of the control code which shows the contents of the character decoration specified by this character decoration assignment means, A document data retrieval means to search the document data memorized by the abovementioned document data storage means based on the code data memorized by the above-mentioned search word code storage means, Document preparation equipment characterized by providing a retrieval code conversion means to change the code data searched by this document data retrieval means into the code data memorized by the above-mentioned permutation word code storage means.

[Translation done.]

* NOTICES *

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Industrial Application] This invention relates to the document preparation equipment which carried the phrase search function which searches and edits the specific alphabetic character of the arbitration which exists in the created document data.

[0002]

[Description of the Prior Art] In order to search conventionally only the specific alphabetic character or the specific character string of arbitration in the document data created beforehand in document preparation equipment, a phrase search function is used.

[0003] That is, in the display condition of the document data used as the candidate for retrieval, document preparation equipment is set as phrase search mode, and while carrying out an input setup of a "search phrase", i.e., an alphabetic character to search, or the character string according to a guidance message, an input setup of an alphabetic character or a character string to replace with and input into "a permutation phrase, i.e., the searched search phrase," is carried out.

[0004] And when the phrase search to document data is started and the above "a search phrase" is searched by operating "activation" key, the retrieval location is directed by cursor.

[0005] Here, if a "next candidate" key is operated, the "search phrase" by which retrieval was carried out [above-mentioned] will leave as it is, and the retrieval directions of the following "search phrase" will be carried out.

[0006] Moreover, if "activation" key is operated where the above "a search phrase" is searched, the searched "search phrase" will be changed above "a permutation phrase", and will be edited, and the retrieval directions of the following "search phrase" will be carried out succeedingly.

[0007] In this case, since each the "search phrase", and the "permutation phrase" which can be set up search the same character code which is restricted to the basic statement character or the character string to which the character decoration etc. is not added, and is stored in the document buffer on the basis of that character code in the above-mentioned phrase search mode, regardless of the control code which shows the character decoration memorized by becoming that character code and pair, it will be searched if only coincidence of this character code is obtained.

[0008] When "A" is set up as therefore, a "search phrase", "not only A" of the same alphabetic character but all "A" that required the character decoration, such as void and a stereo, completely becomes a candidate for retrieval.

[0009]

[Problem(s) to be Solved by the Invention] However, since it is searched by existence, such as the character decoration, regardless of the alphabetic character of the same kind as the alphabetic character set up as a "search phrase", it cannot search with the above-mentioned conventional phrase search function only the alphabetic character or character string which required the specific character decoration.

[0010] Moreover, since the alphabetic character or character string set up as a "permutation phrase" is also restricted to the alphabetic character of a basic form in which the character decoration etc. is not added, it is not convertible for the alphabetic character or character string by which the searched "search phrase" was beforehand added to the character decoration, such as void,, either.

[0011] Therefore, only the alphabetic character or character string which required the specific character decoration cannot be searched with the above-mentioned conventional phrase search function, and how to

twist the character decoration cannot be changed into other character decoration by it.

[0012] This invention was made in view of the above-mentioned technical problem, searches only the alphabetic character or character string which required the specific character decoration, and aims at offering the document preparation equipment which carried the phrase search function which can change the contents of the character decoration into other character decoration.

[0013]

[Means for Solving the Problem] Namely, the document preparation equipment concerning this invention is what has the phrase search function which searches and edits the specific alphabetic character of the arbitration which exists in document data. A document data storage means to make each character code and its control code into a pair, and to memorize the above-mentioned document data, A search phrase input means to input the above-mentioned specific alphabetic character to carry out retrieval, and a search word code storage means to memorize the code data of a specific alphabetic character inputted by this search phrase input means, A permutation phrase input means to input an alphabetic character to replace to the above-mentioned specific alphabetic character to carry out retrieval, A permutation word code storage means to memorize the code data of an alphabetic character inputted by this permutation phrase input means, A character decoration assignment means to specify the character decoration of arbitration to the alphabetic data inputted by the abové-mentioned search phrase input means or the permutation phrase input means, A qualification code addition means to make the above-mentioned search word code storage means or a permutation word code storage means carry out the addition storage of the control code which shows the contents of the character decoration specified by this character decoration assignment means, A document data retrieval means to search the document data memorized by the above-mentioned document data storage means based on the code data memorized by the above-mentioned search word code storage means, A retrieval code conversion means to change the code data searched by this document data retrieval means into the code data memorized by the above-mentioned permutation word code storage means is had and constituted. [0014]

[Function] That is, only the alphabetic character or character—string data which required the specific character decoration can be searched by setting up the alphabetic character or character—string data which the character decoration required as a search phrase, making into a pair the control code which shows the character code and the character decoration of a search phrase, and searching document data.

[0015] And the basic statement character of for example, a search phrase and a permutation phrase is made the same by setting up the alphabetic character or character-string data which the character decoration required also as a permutation phrase, and aiming at conversion with the search phrase by which retrieval was carried out [above-mentioned], and if the contents of each of the character decoration are made into a different thing, only the contents of the character decoration of the same alphabetic character can be changed easily.

[0016]

[Example] A drawing explains one example of this invention below.

[0017] Drawing 1 is the block diagram showing the configuration of document preparation equipment.

[0018] In drawing 1, it is the memory (RAM, ROM) by which 3 is accessed by CPU and 4 and 5 are accessed by this CPU3.

[0019] CPU3 controls the whole equipment, accesses RAM4 and ROM5, is starting of the program according to input directions, and performs kana-kanji conversion processing for drawing up a document, and various processings including document edit processing.

[0020] Permutation phrase buffer 7b for memorizing the contents of the "permutation phrase" set to RAM4 in search phrase buffer 7a for memorizing the document buffer 6 for memorizing document data (kana-kanji conversion result) and the contents of the "search phrase" set up in phrase search processing and this phrase search processing etc. is prepared.

[0021] The character-pattern area 12 grade in which the dictionary area 11 for memorizing the dictionary data referred to in the program area 10 for memorizing the control program which specifies all actuation of document preparation equipment, and a kana-kanji conversion, and font data were stored is prepared in ROM5.

[0022] The phrase search program area 14 grade for storing the kana-kanji conversion program area 13 for storing a front-end processor and a phrase search processing program is prepared in the program area 10. [0023] 16 [moreover,]— a keyboard (KB) and 17— a keyboard interface (KB-IF) and 18— a drop and 19— a display controller (display - CNT) and 20— for a hard disk drive unit (HDD) and 23, as for an HDD interface

(HDD-IF) and 25, a FDD interface (FDD-IF) and 24 are [RAM for a display and 21 / a floppy disk drive unit (FDD) and 22 / printer equipment (PRT) and 26] printer interfaces (PRT-IF).

[0024] A keyboard (KB) 16 outputs input required for document preparation, the document edit by phrase search, etc. to CPU3 through a keyboard interface (KB-IF) 17.

[0025] On this keyboard 16, at a letter key, a cursor key, etc. In addition, the conversion / "next candidate" key for directing directions of the conversion from "kana" (reading) about the kanji, and activation of next candidate processing, "Cancellation" key for directing "selection/activation" key for directing decision of various setup, interruption of processing, cancellation of the input before decision, etc., "Deletion", "insertion" key which are used for creation of a document or a graphic form, edit, proofreading, etc., Various kinds of function keys containing the "copy" key for directing the "character decoration" key for setting up the "phrase search" key for setting up phrase search mode and the character decoration and the function (contents) of document edit, "migration" key, etc. are formed.

[0026] The indicator 18 consists of CRT, a liquid crystal display, etc. Moreover, display – CNT19 uses RAM20 for a display for the bottom of control of CPU3, and performs the display control of a drop 18.

[0027] On the bottom of control of CPU3, through FDD-IF23 and HDD-IF24, various processing programs and document data are saved, or FDD21 and HDD22 record an external character (an alphabetic character, the notation, the mark, etc. of those other than a JIS level 1 alphabetic character and the 2nd level alphabetic character are said), the 2nd level alphabetic character, etc., respectively.

[0028] PRT23 prints through PRT-IF24 based on the document stored in the document buffer 6, or the document information which was read from FDD21 and HDD22 in the body, and was stored in the document buffer 6.

[0029] Next, the phrase search function of the document preparation equipment by the above-mentioned configuration is explained.

[0030] <u>Drawing 2</u> is a flow chart which shows phrase search processing of the above-mentioned document preparation equipment.

[0031] <u>Drawing 3</u> is drawing showing the search setting screen accompanying phrase search processing of the above-mentioned document preparation equipment.

[0032] Here, in case the alphabetic character "A" which required the character decoration of "void" is converted with the alphabetic character "A" which required the "solid" character decoration, the case where a phrase search function is used is explained.

[0033] First, where the document data used as the candidate for edit are displayed in the indicator 18 of this document preparation equipment If a user operates the "phrase search" key of a keyboard 16 and sets up phrase search mode The phrase search program 14 in ROM5 is started by CPU3, the screen pattern for a phrase search setup (refer to <u>drawing 3</u>) memorized beforehand is read to this ROM5, and it is displayed on the document for edit of the above-mentioned drop 18 (steps S1 and S2).

[0034] Here, that a user should set up a "search phrase" ("A": void), where the cursor on the abovementioned search setting screen is moved to the item of a "search phrase", when an alphabetic character input "A" is performed, the character code of this input-statement character "A" is stored in search phrase buffer 7a of RAM4 (steps S3-S6).

[0035] And if a "character decoration" key is operated to the search phrase "A" by which the input was carried out [above-mentioned] and "void" is specified, addition storing will be carried out at the above-mentioned search phrase buffer 7a as a control code from which the character decoration code which shows ** "void" becomes the character code of the above-mentioned search phrase "A", and a pair (steps S7 and S8). [0036] Moreover, that a user should set up a "permutation phrase" ("A": stereo), where the cursor on the above-mentioned search setting screen is moved to the item of a "permutation phrase", when an alphabetic character input "A" is performed, the character code of this input-statement character "A" is stored in permutation phrase buffer 7b of RAM4 (step S3, S4->S9, S10).

[0037] And if a "character decoration" key is operated to the permutation phrase "A" by which the input was carried out [above-mentioned] and a "stereo" is specified, addition storing will be carried out at the above-mentioned permutation phrase buffer 7b as a control code from which the character decoration code which shows ** "a stereo" becomes the character code of the above-mentioned search phrase "A", and a pair (step S10-> S7, S8).

[0038] In this way, where a search phrase ("A": void) and a permutation phrase ("A": stereo) are set up on the above-mentioned screen for a search setup If "activation" key of a keyboard 16 is operated, while this screen

for a search setup will disappear It is based on the control code which shows the character code and the character decoration "void" of the search phrase "A" memorized by the above-mentioned search phrase buffer 7a. Each character code and control code of the document data in a current display condition are read from the document buffer 6 one by one, and are searched (step S3-> S11).

[0039] Each character code and control code of the document data read from the above-mentioned document buffer 6 one by one here If judged with this search phrase ("A": void) having been searched in CPU3 respectively in accordance with the character code and control code of the search phrase "A" memorized by the above-mentioned search phrase buffer 7a This searched search phrase ("A": void) is directed with cursor on a drop 18 (steps S12-S14).

[0040] In this way, where the retrieval directions of the search phrase in document data ("A": void) are carried out If "activation" key is operated that this search phrase ("A": void) by which retrieval directions were carried out should be permuted by the permutation phrase ("A": stereo) The character code and the control code of the character decoration "void" of the search phrase in the document data by which cursor directions are carried out "A" are changed into the character code and the control code of the character decoration "a stereo" of a permutation phrase "A" (steps S15 and S16).

[0041] In this case, since there is no modification in parenchyma and a character code "A", it means that only those contents of qualification were changed into the "stereo" from "void."

[0042] On the other hand, in the above-mentioned step S14, where the retrieval directions of the search phrase in document data ("A": void) are carried out If a "next candidate" key is operated, the search phrase ("A": void) by which current cursor directions are carried out leaves as it is. The retrieval processing of document data based on the control code which shows again the character code and the character decoration "void" of the search phrase "A" memorized by the above-mentioned search phrase buffer 7a is started (step S15-> S11).

[0043] That is, while the search phrase in document data ("A": void) is sequentially retrieved by repeating the processing decision in the above-mentioned steps S11-S16, it can choose the conversion/unconverted one to the permutation phrase ("A": stereo) of an applicable search phrase ("A": void) by operating "activation" key or a "next candidate" key each time.

[0044] Then, if retrieval processing of the document data for edit in the document buffer 6 reaches even to the last alphabetic data, it will be judged with having no data for retrieval by CPU3, and a series of above-mentioned phrase search processings will be completed (step S12).

[0045] Therefore, since according to the document preparation equipment of the above-mentioned configuration the alphabetic character or character-string data which the character decoration required as a search phrase is set up, the control code which shows the character code and the character decoration of a search phrase is made into a pair and document data are searched, only the alphabetic character or character-string data which required the specific character decoration can be searched.

[0046] And since the alphabetic character or character-string data which the character decoration required also as a permutation phrase is set up and conversion with the search phrase by which retrieval was carried out [above-mentioned] can be aimed at, if the basic statement character of a search phrase and a permutation phrase is made the same, for example and the contents of each of the character decoration are made into a different thing, only the contents of the character decoration of the same alphabetic character can be changed easily.

[0047] In addition, although the alphabetic data which the character decoration required as a search phrase was set up, the control code which shows the character code and its contents of qualification of this alphabetic data was made into the pair and document data were searched with the above-mentioned example If the character decoration is not hung to a search phrase, since retrieval of document data is performed by coincidence/inequality of only the character code, if it is alphabetic data of the same kind as a search phrase, all will be searched regardless of the existence of the character decoration.

[0048] In this case, in the flow chart in said <u>drawing 2</u>, in step S7, it is judged with "N", and addition of the character decoration control code to search phrase buffer 7a or permutation phrase buffer 7b in step S8 is not accomplished.

[0049]

[Effect of the Invention] It is what has the phrase search function which searches and edits the specific alphabetic character of the arbitration which exists in document data as mentioned above according to this invention. A document data storage means to make each character code and its control code into a pair, and to

memorize the above-mentioned document data, A search phrase input means to input the above-mentioned specific alphabetic character to carry out retrieval, and a search word code storage means to memorize the code data of a specific alphabetic character inputted by this search phrase input means, A permutation phrase input means to input an alphabetic character to replace to the above-mentioned specific alphabetic character to carry out retrieval, A permutation word code storage means to memorize the code data of an alphabetic character inputted by this permutation phrase input means, A character decoration assignment means to specify the character decoration of arbitration to the alphabetic data inputted by the above-mentioned search phrase input means or the permutation phrase input means, A qualification code addition means to make the above-mentioned search word code storage means or a permutation word code storage means carry out the addition storage of the control code which shows the contents of the character decoration specified by this character decoration assignment means, A document data retrieval means to search the document data memorized by the above-mentioned document data storage means based on the code data memorized by the above-mentioned search word code storage means, Since a retrieval code conversion means to change the code data searched by this document data retrieval means into the code data memorized by the abovementioned permutation word code storage means was had and constituted For example, only the alphabetic character or character string which required the specific character decoration is searched, and it becomes possible to change the contents of the character decoration into other character decoration.


[Translation done.]

* NOTICES *


JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.


DRAWINGS



[Drawing 2]



[Drawing 3]



[Translation done.]

(19)日本国特許庁(JP)

(12) 公開特許公報(A)

FΙ

(11)特許出願公開番号

特開平5-210679

(43)公開日 平成5年(1993)8月20日

(51)Int.Cl.⁵

識別記号

庁内整理番号

技術表示箇所

G 0 6 F 15/20

590 E 7343-5L 554 M 7343-5L

審査請求 未請求 請求項の数1(全 8 頁)


(21)出願番号	特顯平3-72426	(71)出願人 000003078	
		株式会社東芝	
(22)出願日	平成3年(1991)3月12日	神奈川県川崎市幸区	堀川町72番地
		(71)出願人 590001599	
		東芝コンピュータエ	ンジニアリング株式会
		社	
		東京都青梅市新町13	81番地 1
		(72)発明者 戸田 亜津子	
		東京都青梅市末広町	2丁目9番地 株式会
		社東芝青梅工場内	
		(72)発明者 奥井 一朗	
		東京都青梅市新町13	81番地 1 東芝コンピ
		ュータエンジニアリ	ング株式会社内
		(74)代理人 弁理士 鈴江 武彦	

(54) 【発明の名称】 文書作成装置

(57)【要約】

【目的】本発明は、例えば特定の文字修飾が掛かった文 字あるいは文字列のみを検索し、その文字修飾の内容を 他の文字修飾に変更することを目的とする。

【構成】サーチ語句として文字修飾の掛かった文字デー タを設定し、該サーチ語句の文字コードとその文字修飾 を示す制御コードとを対にしてサーチ語句バッファ7 a に記憶させる。また、置換語句としても文字修飾の掛か った文字データを設定し、該置換語句の文字コードとそ の文字修飾を示す制御コードとを置換語句バッファ7b に記憶させる。そして、上記サーチ語句の文字コードと その文字修飾を示す制御コードとに基づき文書バッファ 6における文書データのコード検索を行なうことことに より、特定の文字修飾が掛かった文字データのみ検索 し、この検索された文書データ中の文字コードとその制 御コードとを上記置換語句の文字コードとその文字修飾 を示す制御コードとに変換する。



10

【特許請求の範囲】

【請求項1】 文書データ中に存在する任意の特定文字 を検索して編集する語句サーチ機能を有する文書作成装 置において、

上記文書データを各文字コードとその制御コードとを対 にして記憶する文書データ記憶手段と、

上記検索したい特定文字を入力するサーチ語句入力手段

このサーチ語句入力手段により入力された特定文字のコ ードデータを記憶するサーチ語コード記憶手段と、

上記検索したい特定文字に対し置換えたい文字を入力す る置換語句入力手段と、

この置換語句入力手段により入力された文字のコードデ ータを記憶する置換語コード記憶手段と、

上記サーチ語句入力手段あるいは置換語句入力手段によ り入力された文字データに対し任意の文字修飾を指定す る文字修飾指定手段と、

この文字修飾指定手段により指定された文字修飾の内容 を示す制御コードを上記サーチ語コード記憶手段あるい 加手段と、

上記サーチ語コード記憶手段に記憶されたコードデータ に基づき上記文書データ記憶手段に記憶された文書デー タを検索する文書データ検索手段と、

この文書データ検索手段により検索されたコードデータ を上記置換語コード記憶手段に記憶されるコードデータ に変換する検索コード変換手段と、を具備したことを特 徴とする文書作成装置。

【発明の詳細な説明】

[0001]

【産業上の利用分野】本発明は、作成された文書データ 中に存在する任意の特定文字を検索して編集する語句サ ーチ機能を搭載した文書作成装置に関する。

[0002]

【従来の技術】従来、文書作成装置において、予め作成 された文書データ中の任意の特定文字あるいは特定文字 列のみ検索するには、語句サーチ機能が使用される。

【0003】すなわち、検索対象となる文書データの表 示状態において、文書作成装置を語句サーチモードに設 定し、ガイドメッセージに従って「サーチ語句」、つま 40 り検索したい文字あるいは文字列を入力設定すると共 に、「置換語句」、つまり検索されたサーチ語句に代え て入力したい文字あるいは文字列を入力設定する。

【0004】そして、「実行」キーを操作することによ り、文書データに対する語句サーチが開始され、上記 「サーチ語句」が検索されると、その検索位置がカーソ ルにより指示される。

【0005】ここで、「次候補」キーを操作すると、上 記検索された「サーチ語句」はそのままにして次の「サ ーチ語句」が検索指示される。

【0006】また、上記「サーチ語句」が検索された状 態で「実行」キーを操作すると、その検索された「サー チ語句」は上記「置換語句」に変換されて編集され、引 続き次の「サーチ語句」が検索指示される。

【0007】この場合、上記語句サーチモードにおいて 設定可能な「サーチ語句」及び「置換語句」は、何れも 文字修飾等が付加されない基本文字あるいは文字列に限 られ、その文字コードを基準にして文書バッファに格納 されている同一の文字コードを検索するので、該文字コ ードの一致のみ得られれば、その文字コードと対になっ て記憶されている文字修飾等を示す制御コードには関係 なく検索されることになる。

【0008】したがって、例えば「サーチ語句」として 「A」を設定した場合、全く同一文字の「A」だけでな く、白抜きや立体等、文字修飾が掛かった全ての「A」 が検索対象となる。

[0009]

【発明が解決しようとする課題】しかしながら、上記従 来の語句サーチ機能では、「サーチ語句」として設定さ は置換語コード記憶手段に付加記憶させる修飾コード付 20 れた文字と同一種の文字が、文字修飾等の有無に関係な く検索されるため、例えば特定の文字修飾が掛かった文 字あるいは文字列のみを検索することができない。

> 【0010】また、「置換語句」として設定される文字 あるいは文字列も、文字修飾等が付加されない基本形の 文字に限られるので、検索された「サーチ語句」を予め 白抜き等の文字修飾が付加された文字あるいは文字列に 変換することはできない。

【0011】従って、上記従来の語句サーチ機能では、 特定の文字修飾が掛かった文字あるいは文字列のみを検 索し、その文字修飾のないようを他の文字修飾に変更す ることはできない。

【0012】本発明は、上記課題に鑑みなされたもの で、例えば特定の文字修飾が掛かった文字あるいは文字 列のみを検索し、その文字修飾の内容を他の文字修飾に 変更することが可能な語句サーチ機能を搭載した文書作 成装置を提供することを目的とする。

【課題を解決するための手段】すなわち、本発明に係わ る文書作成装置は、文書データ中に存在する任意の特定 文字を検索して編集する語句サーチ機能を有するもの で、上記文書データを各文字コードとその制御コードと を対にして記憶する文書データ記憶手段と、上記検索し たい特定文字を入力するサーチ語句入力手段と、このサ ーチ語句入力手段により入力された特定文字のコードデ ータを記憶するサーチ語コード記憶手段と、上記検索し たい特定文字に対し置換えたい文字を入力する置換語句 入力手段と、この置換語句入力手段により入力された文 字のコードデータを記憶する置換語コード記憶手段と、 上記サーチ語句入力手段あるいは置換語句入力手段によ 50 り入力された文字データに対し任意の文字修飾を指定す

る文字修飾指定手段と、この文字修飾指定手段により指 定された文字修飾の内容を示す制御コードを上記サーチ 語コード記憶手段あるいは置換語コード記憶手段に付加 記憶させる修飾コード付加手段と、上記サーチ語コード 記憶手段に記憶されたコードデータに基づき上記文書デ ータ記憶手段に記憶された文書データを検索する文書デ ータ検索手段と、この文書データ検索手段により検索さ れたコードデータを上記置換語コード記憶手段に記憶さ れるコードデータに変換する検索コード変換手段とを備 えて構成したものである。

[0014]

【作用】つまり、サーチ語句として文字修飾の掛かった 文字あるいは文字列データを設定し、サーチ語句の文字 コードとその文字修飾を示す制御コードとを対にして文 書データの検索を行なうことにより、特定の文字修飾が 掛かった文字あるいは文字列データのみ検索することが できる。

【0015】しかも、置換語句としても文字修飾の掛か った文字あるいは文字列データを設定し、上記検索され たサーチ語句との変換を図ることにより、例えばサーチ 20 語句及び置換語句の基本文字を同一とし、そのそれぞれ の文字修飾の内容を異なるものにしておけば、同一文字 の文字修飾内容のみ容易に変更することができる。

[0016]

【実施例】以下図面により本発明の一実施例について説 明する。

【0017】図1は文書作成装置の構成を示すブロック 図である。

【0018】図1において、3はCPU、4及び5は同 CPU3によりアクセスされるメモリ(RAM, RO M) である。

【0019】CPU3は、装置全体の制御を行なうもの で、RAM4、ROM5をアクセスして、入力指示に従 うプログラムの起動で、文書を作成するためのかな漢字 変換処理や、文書編集処理を含む各種処理を実行するも のである。

【0020】RAM4には、文書データ(かな漢字変換 結果) を記憶するための文書バッファ6、語句サーチ処 理において設定される「サーチ語句」の内容を記憶する ためのサーチ語句バッファ 7 a 、 同語句サーチ処理にお 40 いて設定される「置換語句」の内容を記憶するための置 換語句バッファ7b等が設けられる。

【0021】ROM5には、文書作成装置の全ての動作 を規定する制御プログラムを記憶するためのプログラム エリア10、かな漢字変換において参照される辞書デー タを記憶するための辞書エリア 1 1、フォントデータが 格納された文字パターンエリア12等が設けられてい る。

【0022】プログラムエリア10には、かな漢字変換 プログラムを格納するためのかな漢字変換プログラムエ 50 「A」に変換する際に、語句サーチ機能を利用した場合

リア13、語句サーチ処理プログラムを格納するための 語句サーチプログラムエリア14等が設けられている。 【0023】また、16はキーボード(KB)、17は キーボードインターフェイス(KB-IF)、18は表 示器、19は表示コントローラ(表示-CNT)、20 は表示用RAM、21はフロッピーディスク装置(FD D)、22はハードディスク装置(HDD)、23はF DDインターフェイス (FDD-IF)、24はHDD インターフェイス(HDD-IF)、25はプリンタ装 10 置 (PRT)、26はプリンタインターフェイス (PR

【0024】キーボード(KB) 16は、文書作成や語 句サーチによる文書編集等に必要な入力情報をキーボー ドインターフェイス(KB-IF)17を介してCPU 3へ出力する。

T-IF) である。

【0025】 このキーボード16には、文字キー、カー ソルキー等に加えて、「かな」(読み)から漢字への変 換の指示や次候補処理の実行を指示するための「変換/ 次候補」キー、各種設定の確定を指示するための「選択 /実行」キー、処理の中断や確定前の入力の取り消し等 を指示するための「取消」キー、文書や図形の作成、編 集・校正等に用いられる「削除」、「挿入」キー、語句 サーチモードを設定するための「語句サーチ」キー、文 字修飾を設定するための「文字修飾」キー、文書編集の 機能(内容)を指示するための「コピー」キー,「移 動」キー等を含む各種のファンクションキーが設けられ ている。

【0026】表示器18は、CRTや液晶ディスプレイ 等から構成されている。また、表示-CNT19は、C 30 PU3の制御の下に表示用RAM20を用いて、表示器 18の表示制御を行なう。

【0027】FDD21、HDD22は、CPU3の制 御の下に、それぞれFDD-IF23、HDD-IF2 4を介して、各種処理プログラムや文書データを保存し たり外字(JIS第1水準文字及び第2水準文字以外の 文字や記号・マーク等をいう), 第2水準文字等を記録

【0028】PRT23は、PRT-IF24を介し て、文書バッファ6に格納された文書、あるいはFDD 21、HDD22から本体内に読込まれて文書バッファ 6に格納された文書情報をもとに印字を行なう。

【0029】次に、上記構成による文書作成装置の語句 サーチ機能について説明する。

【0030】図2は上記文書作成装置の語句サーチ処理 を示すフローチャートである。

【0031】図3は上記文書作成装置の語句サーチ処理 に伴うサーチ設定画面を示す図である。

【0032】ここでは、「白抜き」の文字修飾が掛かっ た文字「A」を、「立体」の文字修飾が掛かった文字

10 5, S16).

について説明する。

【0033】まず、この文書作成装置の表示器18にお いて、編集対象となる文書データが表示された状態で、 ユーザがキーボード16の「語句サーチ」キーを操作し て語句サーチモードを設定すると、CPU3によりRO M5における語句サーチプログラム14が起動され、該 ROM5 に予め記憶される語句サーチ設定用の画面パタ ーン (図3参照) が読出されて上記表示器18の編集対 象文書上に表示される(ステップS1、S2)。

【0034】ここで、ユーザが「サーチ語句」

(「A」:白抜き)を設定すべく、上記サーチ設定画面 上のカーソルを「サーチ語句」の項目に移動させた状態 で文字入力「A」を行なうと、該入力文字「A」の文字 コードがRAM4のサーチ語句バッファ7aに格納され る(ステップS3~S6)。

【0035】そして、上記入力されたサーチ語句「A」 に対し「文字修飾」キーを操作して「白抜き」を指定す ると、該「白抜き」を示す文字修飾コードが上記サーチ 語句「A」の文字コードと対になる制御コードとして上 記サーチ語句バッファ7aに付加格納される(ステップ 20 S7, S8).

【0036】また、ユーザが「置換語句」(「A」:立 体)を設定すべく、上記サーチ設定画面上のカーソルを 「置換語句」の項目に移動させた状態で文字入力「A」 を行なうと、該入力文字「A」の文字コードがRAM4 の置換語句バッファ7bに格納される(ステップS3, $S4\rightarrow S9$, S10).

【0037】そして、上記入力された置換語句「A」に 対し「文字修飾」キーを操作して「立体」を指定する と、該「立体」を示す文字修飾コードが上記サーチ語句 30 文書データの検索処理が最終文字データまで到達する 「A」の文字コードと対になる制御コードとして上記置 換語句バッファ7bに付加格納される(ステップS10 \rightarrow S7, S8).

【0038】こうして、上記サーチ設定用画面上におい て、サーチ語句(「A」:白抜き)及び置換語句

(「A」:立体)を設定した状態で、キーボード16の 「実行」キーを操作すると、該サーチ設定用画面が消滅 すると共に、上記サーチ語句バッファ7aに記憶された サーチ語句「A」の文字コードとその文字修飾「白抜 き」を示す制御コードとに基づき、現在表示状態にある 文書データの各文字コードとその制御コードとが順次文 書バッファ6から読出されて検索される(ステップS3 →S11).

【0039】 ことで、上記文書バッファ6から順次読出 される文書データの各文字コードとその制御コードと が、上記サーチ語句バッファ7aに記憶されているサー チ語句「A」の文字コードとその制御コードとにそれぞ れ一致し、CPU3において該サーチ語句(「A」:白 抜き)が検索されたと判定されると、この検索されたサ ーチ語句(「A」: 白抜き)は表示器18上にカーソル 50 文字修飾を掛けなければ、その文字コードのみの一致/

で指示される(ステップS12~S14)。

【0040】とうして、文書データ中のサーチ語句 (「A」:白抜き)が検索指示された状態で、この検索 指示されたサーチ語句(「A」:白抜き)を置換語句 (「A」:立体) に置換すべく「実行」キーを操作する と、カーソル指示されている文書データ中のサーチ語句 「A」の文字コードとその文字修飾「白抜き」の制御コ ードとが、置換語句「A」の文字コードとその文字修飾 「立体」の制御コードとに変換される(ステップS1

【0041】との場合、実質、文字コード「A」には変 更が無いので、その修飾内容のみが「白抜き」から「立 体」に変換されたことになる。

【0042】一方、上記ステップS14において、文書 データ中のサーチ語句(「A」:白抜き)が検索指示さ れた状態で、「次候補」キーを操作すると、現在カーソ ル指示されているサーチ語句(「A」:白抜き)はその ままにして、再び、上記サーチ語句パッファ7 a に記憶 されたサーチ語句「A」の文字コードとその文字修飾 「白抜き」を示す制御コードとに基づく文書データの検 索処理が開始される(ステップS15→S11)。

【0043】すなわち、上記ステップS11~S16に おける処理判断を繰返すことで、文書データ中のサーチ 語句(「A」:白抜き)が順次検索されると共に、その 都度「実行」キー又は「次候補」キーを操作すること で、該当サーチ語句(「A」: 白抜き)の置換語句 (「A」:立体)への変換/未変換を選択することがで きる。

【0044】この後、文書バッファ6における編集対象 と、CPU3により検索対象データ無しと判定され、上 記一連の語句サーチ処理が終了する (ステップS1 2).

【0045】したがって、上記構成の文書作成装置によ れば、サーチ語句として文字修飾の掛かった文字あるい は文字列データを設定し、サーチ語句の文字コードとそ の文字修飾を示す制御コードとを対にして文書データの 検索を行なうので、特定の文字修飾が掛かった文字ある いは文字列データのみ検索することができる。

【0046】しかも、置換語句としても文字修飾の掛か った文字あるいは文字列データを設定し、上記検索され たサーチ語句との変換が図れるので、例えばサーチ語句 及び置換語句の基本文字を同一とし、そのそれぞれの文 字修飾の内容を異なるものにしておけば、同一文字の文 字修飾内容のみ容易に変更することができる。

【0047】尚、上記実施例では、サーチ語句として文 字修飾の掛かった文字データを設定し、該文字データの 文字コードとその修飾内容を示す制御コードとを対にし て文書データの検索を行なったが、サーチ語句に対して

不一致により文書データの検索が行なわれるので、サー チ語句と同一種の文字データであれば、文字修飾の有無 に関係なく全て検索されることになる。

【0048】この場合、前記図2におけるフローチャー トでは、ステップS7において「N」と判定され、ステ ップS8におけるサーチ語句バッファ7aあるいは置換 語句バッファ7bに対する文字修飾制御コードの付加は 成されない。

[0049]

タ中に存在する任意の特定文字を検索して編集する語句 サーチ機能を有するもので、上記文書データを各文字コ ードとその制御コードとを対にして記憶する文書データ 記憶手段と、上記検索したい特定文字を入力するサーチ 語句入力手段と、このサーチ語句入力手段により入力さ れた特定文字のコードデータを記憶するサーチ語コード 記憶手段と、上記検索したい特定文字に対し置換えたい 文字を入力する置換語句入力手段と、この置換語句入力 手段により入力された文字のコードデータを記憶する置 換語コード記憶手段と、上記サーチ語句入力手段あるい 20 3…CPU、4…RAM、5…ROM、6…文書バッフ は置換語句入力手段により入力された文字データに対し 任意の文字修飾を指定する文字修飾指定手段と、この文 字修飾指定手段により指定された文字修飾の内容を示す

制御コードを上記サーチ語コード記憶手段あるいは置換 語コード記憶手段に付加記憶させる修飾コード付加手段 と、上記サーチ語コード記憶手段に記憶されたコードデ ータに基づき上記文書データ記憶手段に記憶された文書 データを検索する文書データ検索手段と、この文書デー タ検索手段により検索されたコードデータを上記置換語 コード記憶手段に記憶されるコードデータに変換する検 索コード変換手段とを備えて構成したので、例えば特定 の文字修飾が掛かった文字あるいは文字列のみを検索 【発明の効果】以上のように本発明によれば、文書デー 10 し、その文字修飾の内容を他の文字修飾に変更すること が可能になる。

【図面の簡単な説明】

【図1】本発明の一実施例に係わる文書作成装置の構成 を示すブロック図。


【図2】上記文書作成装置の語句サーチ処理を示すフロ ーチャート。

【図3】上記文書作成装置の語句サーチ処理に伴うサー チ設定画面を示す図。


【符号の説明】

ァ、7a…サーチ語句バッファ、7b…置換語句バッフ ァ、10…プログラムエリア、14…語句サーチプログ ラムエリア、16…キーボード、18…表示器。

【図1】



【図2】



【図3】

